Revised Date: 01/29/24 Replaces Date: 06/07/23

# 1. Product and Company Identification

Product Code:	R1457
Trade Name:	ILR-1457
Product Type:	Polyimide Resin (~25% w/w) in NMP
Recommended Use:	Thermoset resin
Restrictions:	None identified
Company:	Designer Molecules, Inc.
	10080 Willow Creek Rd.
	San Diego, CA 92131
Telephone:	858-348-1122

Emergency phone number (spill, leak, fire, exposure or accident): US Domestic (800) 535-5053 (INFOTRAC) Includes Canada and Mexico International +1 (352) 323-3500 China Specific (86) 400-120-0761 Germany Specific (49) 0800-181-2924 Australia Specific (61) 1-300-366-961

## 2. Hazards Identification

### EMERGENCY OVERVIEW:

GHS Classification:

Flammable liquid Skin Irritation Eye Irritation Reproductive Toxicity Specific target organ toxicity – single exposure Category 4 Category 2 Category 2A Category 1B Category 3 – Respiratory system

PICTOGRAM



SIGNAL WORD Danger

### HAZARD STATEMENT(S)

- H227 Combustible liquid
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H360 May damage fertility or unborn child.

## PRECAUTIONARY STATEMENT(S)

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
- P261 Avoid breathing mist or vapors.

Product: ILR-1457 MSDS ID: R1457

P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	+ P312 IF INHALED: Remove person to fresh air and keep comfortable for
breathing. Ca	Il a POISON CENTER/ doctor if you feel unwell.
	+ P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lense	s, if present and easy to do. Continue rinsing.
P308 + P313	If exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to
extinguish.	
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool. P405 Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 3. Composition On Ingredients

SUBSTANCE / MIXTURE	MIXTURE
GENERIC NAME	FM51-95, Resin solution, ILR-1425

INGREDIENT	Modified Polyimide Resin	n-Methyl-2- pyrrolidone
RATIO	20 - 30 wt%	70 - 80 wt%
CAS REGISTRY No.	Not Assigned	872-50-4

# 4. First Aid Measures

### GENERAL ADVICE:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

INHALATION

Remove the victim to fresh air. If not breathing, give artificial respiration. Consult a physician.

### SKIN CONTACT

Remove all contaminated clothing, shoes and socks from the affected areas as quickly as possible. Wash the affected area under tepid running water using a mild soap.

### EYE CONTACT

Gently rinse the affected eyes with clean water for at least 15 minutes. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

### INGESTION

Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 5. Fire and Explosion Hazard Data

### SPECIFIC HAZARDS WITH REGARD TO FIRE-EXTINGUISHING MEASURES

Shut off the supply. Use extinguishing equipment from the up-wind side. If necessary, wear protective clothing including a breathing apparatus.

Product: ILR-1457 MSDS ID: R1457

If the fire extends to the surrounding, cool the facilities by splaying with water. I mmediately move containers to safe place if possible.

#### EXTINGUISHING MEDIA

In case of fire use water, dry sand, alcohol-resistant foam, dry chemical powder, carbon dioxide, foam

## 6. Accidental Release Measures

CAUTIONS FOR PERSONNEL

Wear proper equipment and avoid contact with skin and inhalation of vapor. Keep personnel away from downwind of any fire. Shut off all sources of ignition.

#### CAUTIONS FOR ENVIRONMENT

Prevent spills from entering waterways.

#### REMOVAL MEASURE

Shut off the leakage source to stop the leakage. For small spill, absorb spill with absorbent and collect in chemical waste container. For large spill, prevent contamination of surrounding area and move material to a safe place for collection.

#### PREVENTION OF SECOND ACCIDENT

Remove nearby sources of ignition and prepare extinguishing media.

## 7. Handling and Storage

#### HANDLING

Engineering measures

Wear proper protective equipment to prevent contact with skin or inhalation of the vapor. Pay attention to fire.

Cautions for safety handling

Use with an enclosed system or a local exhaust ventilation to prevent exposure to vapors.

### STORAGE

Adequate storage condition

Store at room temperature, keep package tightly closed. Avoid direct rays from the sun. No fire. Safety adequate container materials

Glass, plastic, metal

## 8. Exposure Controls and Personal Protection Measures

#### CONTROL PARAMETERS

Component	CAS-No	Value	Control parameters	Basis
N-methyl-2- pyrrolidone	872-50-4	TWA	15 ppm 60 mg/m3	USA. Workplace Environmental Exposure Levels (WEEL)
Remarks Skin				
		STEL	30 ppm 120 mg/m3	USA. Workplace Environmental Exposure Levels (WEEL)
		Skin		
		PEL	1 ppm 4 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107

#### COMPONENTS WITH WORKPLACE CONTROL LIMITS

Product: ILR-1457 MSDS ID: R1457

BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS					
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
N-methyl-2- pyrrolidone	872-50-4	5-HydroxyN- methyl-2- pyrrolidone	100 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As	End of shift (As soon as possible after exposure ceases)		

ENGINEERING MEASURES Use only with adequate ventilation and in closed systems. PERSONAL PROTECTIVE EQUIPMENT RESPIRATORY PROTECTION If necessary, wear chemical cartridge respirator with an organic vapor cartage. EYE PROTECTION Safety goggles HAND PROTECTION Organic solvents resistant gloves SKIN AND BODY PROTECTION Protective clothing, protective boots

# 9. Physical / Chemical Characteristics

APPEARLANCE, PHYSICAL STATE, COLOR, ODOR

Liquid, amber, amine odor

SPECIFIC TEMPERATURE or TEMPERATURE OF PHYSICAL CONDITIONS CHANGE

Boiling point Melting point FLASH POINT EXPLOSION LIMIT VAPOR PRESSURE VAPOR DENSITY SPECIFIC GRAVITY SOLUBILITY 202°C <NMP> -24°C <NMP> 91°C <NMP> No data available 0.32 hPa (20°C) <NMP> 3.42 <NMP> 1.028 g/ml (20°C) <NMP> Water ; soluble <NMP>

# 10. Reactivity Hazard Data

STABILITYMay polymerized on high temperature exposureREACTIVITYStrong bases, strong acids, strong oxidizersINCOMPATIBILITYStrong bases, strong acids, strong oxidizersHAZARDOUS DECOMPOSITION PRODUCTS<br/>Carbon monoxideCarbon monoxide

# 11. Toxicological Information

Information on toxicological effects

### Acute toxicity - NMP

LD50 Oral - Rat - male and female - 4,150 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - > 5.1 mg/l - aerosol

(OECD Test Guideline 403) LD50 Dermal - Rat - male and female - > 5,000 mg/kg

Date printed: 2/29/2024

Product: ILR-1457 MSDS ID: R1457

(OECD Test Guideline 402)

#### Skin corrosion/irritation - NMP

Skin - Rabbit Result: Irritating to skin. - 24 h (OECD Test Guideline 404) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Serious eye damage/eye irritation - NMP

Eyes - Rabbit Result: Eye irritation (OECD Test Guideline 405) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### **Respiratory or skin sensitization - NMP**

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

#### Germ cell mutagenicity - NMP

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 **Result:** negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 **Result:** negative Test Type: unscheduled DNA synthesis assay Test system: rat hepatocytes Method: OECD Test Guideline 482 **Result:** negative Test Type: In vivo micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 474 **Result:** negative Test Type: Chromosome aberration test Species: Chinese hamster Cell type: Bone marrow **Application Route: Oral** Method: OECD Test Guideline 475 Result: negative

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

May damage the unborn child. **Specific target organ toxicity - single exposure** Inhalation - May cause respiratory irritation. - Respiratory system Date printed: 2/29/2024 Product: ILR-1457 MSDS ID: R1457 Revised Date: 01/29/24 Replaces Date: 06/07/23

Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available

# 12. Ecological Information

Hazardous to the Aquatic Environment (Acute) Hazardous to the Aquatic Environment (Chronic)

No data available No data available

# 13. Disposal Considerations

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Follow all regulations in your country.

## 14. Transport Information

DOT (US): (for containers greater than 119 gallons)

UN-Number: 1993 Class: None Packing group: III Proper shipping name: Combustible liquid, n.o.s. (N-methyl-2-pyrrolidone) Reportable Quantity (RQ): Poison Inhalation Hazard: No Poison Inhalation Hazard: No

### IMDG:

Not dangerous goods

### IATA:

Not dangerous goods

## 15. Regulatory Information

### **TSCA Status:**

One component of the mixture is not listed on the TSCA inventory. For R&D use only.

### SARA 302 Components:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards:

Acute health hazard

### **CALIFORNIA PROPOSITION 65:**

**Warning:** This product can expose you to chemicals including N-Methylpyrrolidone which is known to the Sate of Califormia to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

## **16.** Other Information

The opinions expressed herein are those of qualified experts within Designer Molecules Inc. We believe that the information contained herein is current, as of the date of this MSDS. Because the use of this information and of these opinions, and the conditions of use of this product, are not within the control of Date printed: 2/29/2024 Page 6 of 7

Product: ILR-1457 MSDS ID: R1457 Revised Date: 01/29/24 Replaces Date: 06/07/23

Designer Molecules Inc., it is the user's legal obligation to determine the conditions of safe use of this product.